

ELEVATION C.

ELEVATION A.



ELEVATION B.

WINDOW SCHEDULE HxW

530x1800 ALUMINIUM FRAME SLIDING HILIGHT

LEGEND

	2 x 36W FLURO LIGHTS (WITH DIFFUSERS)
	1 x 18W FLURO LIGHT (WITH DIFFUSERS)
	LIGHT SWITCH
	DOUBLE 10 Amp GPO
	WEATHER PROOF 10 Amp GPO
	DISTRIBUTION BOARD

NOTES:
1. PLANS TO BE READ IN CONJUNCTION WITH "KLMSA" STRUCTURAL DRAWINGS & MATERIAL SPECIFICATION.
2. ALL CONSTRUCTION, FIT OUT, EXTERNAL SERVICES AND STRUCTURES MUST BE IN ACCORDANCE WITH ALL AUSTRALIAN STANDARDS AND THE LOCAL AUTHORITIES.
3. 9 LITRE WATER TYPE FIRE EXTINGUISHER TO BE LOCATED ADJACENT TO EXIT DOORS.
4. 2A 20 B(E) DRY CHEMICAL FIRE EXTINGUISHER TO BE LOCATED MINIMUM 2.0M AWAY FROM THE ELECTRICAL SWITCHBOARD.

No	DESCRIPTION	DATE	BY
	REVISIONS		

DESIGN APPROVAL
CLIENTS SIGNATURE.....
KLMSA SIGNATURE.....
DATE.....

This drawing and all information thereon is the property of KLMS (Aust) Pty. Ltd. and shall be returned on demand. It is issued on the condition that, except with our written permission, it must not be reproduced, copied or communicated to any other party nor be used for any purpose other than stated in the particular enquiry, order or contract with which it is issued.

KLMS AUSTRALIA
New horizons in modular buildings
12 MARGARET STREET, PHEASANT CREEK, VIC, 3757
ALL CORRESPONDENCE: PO Box. 51 PHEASANT CREEK, VIC, 3757
Email : enquires@klmodular.com.au
PH: (03) 5786 5596
FAX: (03) 5786 5677

KLMSA JOB CODE:

JOB No.	2044
REV.	
DRG. No.	2044-A1
DRAWN	W.PENNEY
DESIGNED	G.MARSHALL
DATE	08.03.2011
SCALE	1=50

TITLE
SITE SERVICES
9.0 x 3.0 METRE MOBILE UNIT WITH CHEMICAL TOILET