



ELEVATION C.



ELEVATION A.



ELEVATION B.

LEGEND

- 2 x 36W FLURO LIGHTS (WITH DIFFUSERS)
- 1 x 18W FLURO LIGHT (WITH DIFFUSER)
- LIGHT SWITCH
- DOUBLE 10 Amp GPO
- WEATHER PROOF 10 Amp GPO
- DISTRIBUTION BOARD

NOTES:

1. PLANS TO BE READ IN CONJUNCTION WITH "KLMSA" STRUCTURAL DRAWINGS & MATERIAL SPECIFICATION.
2. ALL CONSTRUCTION, FIT OUT, EXTERNAL SERVICES AND STRUCTURES MUST BE IN ACCORDANCE WITH ALL AUSTRALIAN STANDARDS AND THE LOCAL AUTHORITIES.
3. 9 LITRE WATER TYPE FIRE EXTINGUISHER TO BE LOCATED ADJACENT TO EXIT DOORS.
4. 2A 20 B(E) DRY CHEMICAL FIRE EXTINGUISHER TO BE LOCATED MINIMUM 2.0M AWAY FROM THE ELECTRICAL SWITCHBOARD.

**WINDOW SCHEDULE HxW**  
530x1800 ALUMINIUM FRAME SLIDING HIGHLIGHT

| No        | DESCRIPTION | DATE | BY |
|-----------|-------------|------|----|
| REVISIONS |             |      |    |

DESIGN APPROVAL  
CLIENTS SIGNATURE .....  
KLMSA SIGNATURE .....  
DATE .....

This drawing and all information thereon is the property of KLMS (Aust) Pty. Ltd. and shall be returned on demand. It is issued on the condition that, except with our written permission, it must not be reproduced, copied or communicated to any other party nor be used for any purpose other than stated in the particular enquiry, order or contract with which it is issued.



12 MARGARET STREET, PHEASANT CREEK, VIC, 3757  
ALL CORRESPONDENCE: PO Box. 51 PHEASANT CREEK, VIC, 3757  
Email : enquires@klmodular.com.au

|                     |                                    |   |
|---------------------|------------------------------------|---|
| KLMSA JOB CODE:     |                                    | ○ |
| JOB No. 2046        | REV.                               |   |
| DRG. No.            |                                    |   |
| <b>2046-A1</b>      |                                    |   |
| DRAWN W.PENNEY      | TITLE                              |   |
| DESIGNED G.MARSHALL | <b>SITE SERVICES</b>               |   |
| DATE 24.03.2011     | <b>7.2 x 3.0 METRE MOBILE UNIT</b> |   |
| SCALE 1=50          | <b>WITH CHEMICAL TOILET</b>        |   |

PH: (03) 5786 5596  
FAX: (03) 5786 5677